Printing date 03.10.2013 Revision: 03.10.2013

1 Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Methylene lodide
- · CAS Number:

75-11-6

· EC number:

200-841-5

- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Laboratory chemicals
- · 1.3 Details of the supplier of the Safety Data Sheet
- · Manufacturer/Supplier:

Iofina Chemical 1025 Mary Laidley Drive Covington, KY 41017 Phone: 859-356-8000



· 1.4 Emergency telephone number:

ChemTel Inc.

(800)255-3924, +1 (813)248-0585

2 Hazards identification

- · 2.1 Classification of the substance or mixture
- · Classification according to Regulation (EC) No 1272/2008



GHS05 corrosion

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xn; Harmful

R22: Harmful if swallowed.

Xi; Irritant

R37/38-41: Irritating to respiratory system and skin. Risk of serious damage to eyes.

R52: Harmful to aquatic organisms.

Information concerning particular hazards for human and environment: Not applicable.

(Contd. on page 2)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 1)

- · 2.2 Label elements
- Labelling according to Regulation (EC) No 1272/2008

The substance is classified and labelled according to the CLP regulation.

Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labelling:

diiodomethane

· Hazard statements

H302 Harmful if swallowed.

H315 Causes skin irritation.

H318 Causes serious eve damage.

H335 May cause respiratory irritation.

Precautionary statements

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Do not eat, drink or smoke when using this product. P270

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

- · Hazard description:
- · WHMIS-symbols:

D1B - Toxic material causing immediate and serious toxic effects

D2B - Toxic material causing other toxic effects





· NFPA ratings (scale 0 - 4)



Health = 2Fire = 1 Reactivity = 0

HMIS-ratings (scale 0 - 4)



2 Health = 2 1 Fire = 1 REACTIVITY Reactivity = 0

· HMIS Long Term Health Hazard Substances

Substance is not listed.

(Contd. on page 3)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 2)

· 2.3 Other hazards

· Results of PBT and vPvB assessment

PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

· 3.1 Substances

· CAS No. Description

75-11-6 dijodomethane

- · Identification number(s)
- **EC number:** 200-841-5

4 First aid measures

· 4.1 Description of first aid measures

· General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

· After inhalation:

Unlikely route of exposure.

Supply fresh air; consult doctor in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eve contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting: call for medical help immediately.

· 4.2 Most important symptoms and effects, both acute and delayed

Irritant to skin and mucous membranes.

Strong irritant with the danger of severe eye injury.

Acne

- · Hazards Danger of severe eye injury.
- 4.3 Indication of any immediate medical attention and special treatment needed

If swallowed, gastric irrigation with added, activated carbon.

If necessary oxygen respiration treatment.

5 Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.

(Contd. on page 4)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 3)

- · For safety reasons unsuitable extinguishing agents: None.
- **5.2 Special hazards arising from the substance or mixture**During heating or in case of fire poisonous gases are produced.
- 5.3 Advice for firefighters
- Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

Additional information

Evacuate area and fight fire from from the upwind side.

Cool endangered receptacles with water spray.

6 Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

· 6.2 Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

· 6.3 Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· 7.1 Precautions for safe handling

No special precautions are necessary if used correctly.

Avoid splashes or spray in enclosed areas.

- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Avoid storage near extreme heat, ignition sources or open flame.

Unsuitable material for receptacle: aluminium.

Unsuitable material for receptacle: steel.

Store only in the original receptacle.

Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from oxidizing agents.

Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 4)

Keep container tightly sealed.

7.3 Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical facilities: No further data; see item 7.
- · 8.1 Control parameters
- Ingredients with limit values that require monitoring at the workplace: Not required.
- · **DNELs** No further relevant information available.
- · PNECs No further relevant information available.
- · Additional information: The lists valid during the making were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

Respiratory protection:

Not required under normal conditions of use.

Use suitable respiratory protective device when aerosol or mist is formed.

Use suitable respiratory protective device when high concentrations are present.

NIOSH approved organic vapor respirator equipped with a dust/mist prefilter should be used.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation.

Material of gloves


The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye protection:

Contact lenses should not be worn.



(Contd. on page 6)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 5)

- · Body protection: Protective work clothing
- Limitation and supervision of exposure into the environment No further relevant information available.

· Risk management measures

See Section 7 for additional information. No further relevant information available.

Physical and chemical properties		
· 9.1 Information on basic physical a	and chemical properties	
General Information		
· Appearance:		
Form:	Liquid	
Colour:	Light yellow Ether-like	
· Odour: · Odour threshold:	Not determined.	
· pH-value:	Not determined.	
Change in condition		
Melting point/Melting range:	42 °F / 6 °C	
Boiling point/Boiling range:	359 °F / 182 °C	
· Flash point:	230 °F / 110 °C	
· Flammability (solid, gaseous):	Not applicable.	
· Ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapour pressure:	Not determined.	
· Density at 20 °C:	3,33 g/cm³	
Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water at 20 °C:	14 g/l	
· Partition coefficient (n-octanol/wat	ter): Not determined.	
. Viceocity		
· Viscosity: Dynamic at 20 °C:		

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 6)

Kinematic: Not determined.

Organic solvents: 100,0 %

• **9.2 Other information** No further relevant information available.

10 Stability and reactivity

- · 10.1 Reactivity
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

10.3 Possibility of hazardous reactions

Violent reactions with strong alkalis and oxidizing agents.

Reacts with various metals.

Toxic fumes may be released if heated above the decomposition point.

- · 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

lodine compounds

Danger of forming toxic pyrolysis products.

11 Toxicological information

- · 11.1 Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- Sensitization: No sensitizing effects known.
- · Additional toxicological information:

Irritant

Danger through skin adsorption.

At long or repeated contact with skin it may cause dermatitis due to the degreasing effect of the solvent. May cause acne.

· Repeated dose toxicity: May cause damage to organs through prolonged or repeated exposure.

12 Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- · 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.

(Contd. on page 8)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 7)

(Contd. on page 9)

- · Ecotoxical effects:
- · Remark:

Harmful to fish

Due to mechanical actions of the product (e.g. agglutinations) damages may occur.

- Additional ecological information:
- · General notes:

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Harmful to aquatic organisms

- 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

13 Disposal considerations

- · 13.1 Waste treatment methods
- · Recommendation

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging:
- Recommendation: Disposal must be made according to official regulations.

14 Transport information	
· 14.1 UN-Number · DOT, ADR, IMDG, IATA	UN2810
· 14.2 UN proper shipping name	
DOT	Toxic, liquids, organic, n.o.s. (diiodomethane)
· ADR	2810 TOXIC LIQUID, ORGANIC, N.O.S.
IMDG IATA	(diiodomethane) TOXIC LIQUID, ORGANIC, N.O.S. (diiodomethane)
· IMDG, IATA	TOXIC EIQUID, ORGANIC, N.O.S. (dilodoffictifalle)
· 14.3 Transport hazard class(es)	
· DOT	
TOXIC	
· Class	6.1 Toxic substances.

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

	(Contd. of page
· Label	6.1
· ADR	
· Class	6.1 (T1) Toxic substances.
· Label	6.1
· IMDG, IATA	
· Class	6.1 Toxic substances.
· Label	6.1
· 14.4 Packing group · DOT, ADR, IMDG, IATA	III
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Warning: Toxic substances.
Danger code (Kemler):	60
EMS Number:	F-A,S-A
14.7 Transport in bulk according to Ann	
MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
· ADR	
· Limited quantities (LQ)	5L
Transport category	2
· Tunnel restriction code	Е
· UN "Model Regulation":	UN2810, TOXIC LIQUID, ORGANIC, N.O.S (diiodomethane), 6.1, III

15 Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- United States (USA)
- ·SARA
- · Section 313 (Specific toxic chemical listings):

Substance is not listed.

(Contd. on page 10)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

(Contd. of page 9)

· TSCA (Toxic Substances Control Act):

Substance is listed.

- · Proposition 65 (California):
- · Chemicals known to cause cancer:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

· Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

· Chemicals known to cause developmental toxicity:

Substance is not listed.

- · Carcinogenic Categories
- · EPA (Environmental Protection Agency)

Substance is not listed.

· IARC (International Agency for Research on Cancer)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

· OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

- · Canada
- · Canadian Domestic Substances List (DSL)

Substance is listed.

Canadian Ingredient Disclosure list (limit 0.1%)

Substance is not listed.

· Canadian Ingredient Disclosure list (limit 1%)

Substance is not listed.

• 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 11)

Printing date 03.10.2013 Revision: 03.10.2013

Trade name: Methylene lodide

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)

WHMIS: Workplace Hazardous Materials Information System (Canada) DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

Sources

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com

(Contd. of page 10)